

WEST Search History for Application 10781207

Creation Date: 2008061912:17

| Query | DB | Op. | Plur. | Thes. | Date |
|---|------------|-----|-------|----------|------------|
| (7287281 7228563).pn. | USPT | OR | NO | ASSIGNEE | 06-19-2008 |
| ('5598531' '5696822' '5802178' '5822517' '6301699' '6357008' '6910142')![pn] | USPT, PGPB | | | ASSIGNEE | 06-19-2008 |
| ('5598531' '5696822' '5802178' '5822517' '6301699' '6357008' '6910142')![pn] | USPT, PGPB | | | ASSIGNEE | 06-19-2008 |
| ('5598531' '5696822' '5802178' '5822517' '6199181' '6301699' '6357008' '6658571' '6718414' '6910142' '7085928' '7146305' '7181603' '20020083334')![pn] | USPT, PGPB | | | ASSIGNEE | 06-19-2008 |
| ((('5598531' '5696822' '5802178' '5822517' '6199181' '6301699' '6357008' '6658571' '6718414' '6910142' '7085928' '7146305' '7181603' '20020083334')![pn]) or (('5598531' '5696822' '5802178' '5822517' '6301699' '6357008' '6910142')![pn]) | PGPB, USPT | OR | NO | ASSIGNEE | 06-19-2008 |
| (hook\$ and (operating adj system adj function) and (call adj module\$1) and (kernel adj address adj space) and stall\$ and call\$1 and (driver adj area\$1) and protect\$ and (malicious adj code)).clm. | PGPB, USPT | OR | NO | ASSIGNEE | 06-19-2008 |
| ((operating adj system adj function) and (call adj module\$1) and (kernel adj address adj space) and stall\$ and call\$1 and (driver adj area\$1) and protect\$ and (malicious adj code)).clm. | PGPB, USPT | OR | NO | ASSIGNEE | 06-19-2008 |
| ((operating adj system) and (call adj module\$1) and (kernel adj address adj space) and stall\$ and call\$1 and (driver adj area\$1) and protect\$ and (malicious adj code)).clm. | PGPB, USPT | OR | NO | ASSIGNEE | 06-19-2008 |
| ((operating adj system) and (call adj module\$1) and (kernel adj address adj space) and stall\$ and call\$1 and (driver adj area\$1) and protect\$).clm. | PGPB, USPT | OR | NO | ASSIGNEE | 06-19-2008 |
| ((operating adj system) and (call adj module\$1) and kernel\$1 and address\$ and stall\$ and call\$1 and (driver adj area\$1)).clm. | PGPB, USPT | OR | NO | ASSIGNEE | 06-19-2008 |
| ((operating system) and (call module\$1) and kernel\$1 and address\$ and (delay\$ or stop\$ or interrupt\$ or stall\$) and call\$1 and (driver adj area\$1)).clm. | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |

| | | | | | |
|---|------------|-----|----|----------|------------|
| (function\$ and (call module\$1) and kernel\$1 and (area\$1 or address\$ or space\$1) and (delay\$ or stop\$ or interrupt\$ or stall\$) and call\$1 and driver\$1 and (protect\$ or prevent\$)).clm. | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| (function\$ and module\$1 and kernel\$1 and (area\$1 or address\$ or space\$1) and (delay\$ or stop\$ or interrupt\$ or stall\$) and call\$1 and driver\$1 and (protect\$ or prevent\$)).clm. | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((malicious kernel mode buffer) and kernel\$1 and (area\$1 or address\$ or space\$1) and (delay\$ or stop\$ or interrupt\$ or stall\$) and call\$1 and driver\$1 and (protect\$ or prevent\$)).clm. | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((malicious kernel mode buffer) and kernel\$1 and (delay\$ or stop\$ or interrupt\$ or stall\$) and (protect\$ or prevent\$)).clm. | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((malicious) and kernel\$1 and (delay\$ or stop\$ or interrupt\$ or stall\$) and (protect\$ or prevent\$)).clm. | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((malicious) and (delay\$ or stop\$ or interrupt\$ or stall\$) and (protect\$ or prevent\$)).clm. | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| (726/22,23,24,25,26)! [CCLS] | PGPB, USPT | ADJ | | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS]) and (Call module\$1) same driver\$1 same kernel\$1 same memory | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS]) and (Call module\$1) same driver\$1 same kernel\$1 | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS]) and (Call\$1 or module\$1) same driver\$1 same kernel\$1 | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS] and (Call\$1 or module\$1) same driver\$1 same kernel\$1) not (((malicious) and (delay\$ or stop\$ or interrupt\$ or stall\$) and (protect\$ or prevent\$)).clm.) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS] and (Call\$1 or module\$1) same driver\$1 same kernel\$1 not ((malicious) and (delay\$ or stop\$ or interrupt\$ or stall\$) and (protect\$ or prevent\$)).clm.) and malicious | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS] and (Call\$1 or module\$1) same driver\$1 same kernel\$1 not ((malicious) and (delay\$ or stop\$ or interrupt\$ or stall\$) and (protect\$ or prevent\$)).clm. and malicious) and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system) or function\$1) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |

| | | | | | |
|---|------------|-----|----|----------|------------|
| ((726/22,23,24,25,26)! [CCLS]) and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system) or function\$1) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system) or function\$1)) and (call module\$1) same (driver adj area\$1) same (kernel address space\$1) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system) or function\$1)) and ((module\$1) or (malicious code)) same (driver adj area\$1) same (kernel address space\$1) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system) or function\$1)) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel address space\$1) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system) or function\$1)) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS]) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel address space\$1) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS]) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1)) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS] and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1)))) not ((726/22,23,24,25,26)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system) or function\$1) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1)) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS]) and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system\$1) or kernel\$1) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system\$1) or kernel\$1)) and malicious | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system\$1) or | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |

| | | | | | |
|--|------------|-----|----|----------|------------|
| kernel\$1) and malicious) and (prevent\$ or ptotect\$) | | | | | |
| ((726/22,23,24,25,26)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system\$1) or kernel\$1) and malicious) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1)) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((726/22,23,24,25,26)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system\$1) or kernel\$1) and malicious and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1))) not ((726/22,23,24,25,26)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system) or function\$1) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1)) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| (713/164,165,166,167,188,189,190)! [CCLS] | PGPB, USPT | ADJ | | ASSIGNEE | 06-19-2008 |
| ((713/164,165,166,167,188,189,190)! [CCLS]) and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system\$1) or kernel\$1) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((713/164,165,166,167,188,189,190)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system\$1) or kernel\$1)) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1)) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((713/164,165,166,167,188,189,190)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system\$1) or kernel\$1) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1))) not ((726/22,23,24,25,26)! [CCLS] and (delay\$ or stop\$ or interrupt\$ or stall\$) same ((operating system\$1) or kernel\$1) and malicious and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1))) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((713/164,165,166,167,188,189,190)! [CCLS]) and (malicious kernel mode buffer) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((713/164,165,166,167,188,189,190)! [CCLS]) and malicious | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((713/164,165,166,167,188,189,190)! [CCLS] and malicious) and (delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1) | PGPB, USPT | ADJ | NO | ASSIGNEE | 06-19-2008 |
| | | ADJ | NO | ASSIGNEE | 06-19-2008 |

| | | | | | |
|--|--|-----|----|----------|------------|
| ((713/164,165,166,167,188,189,190)! [CCLS] and malicious and (delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1)) and (protect\$ or prevent\$) with (computer\$1 or system\$1 or driver\$1) | PGPB, USPT | | | | |
| 719/\$.CCLS. OR 718/\$.CCLS. OR 717/\$.CCLS. OR 713/\$.CCLS. OR 709/\$.CCLS. OR 707/\$.CCLS. or 726/\$.ccls. | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | ADJ | NO | ASSIGNEE | 06-19-2008 |
| (719/\$.CCLS. OR 718/\$.CCLS. OR 717/\$.CCLS. OR 713/\$.CCLS. OR 709/\$.CCLS. OR 707/\$.CCLS. or 726/\$.ccls.) and (delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | ADJ | NO | ASSIGNEE | 06-19-2008 |
| (719/\$.CCLS. OR 718/\$.CCLS. OR 717/\$.CCLS. OR 713/\$.CCLS. OR 709/\$.CCLS. OR 707/\$.CCLS. or 726/\$.ccls. and (delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1)) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | ADJ | NO | ASSIGNEE | 06-19-2008 |
| (719/\$.CCLS. OR 718/\$.CCLS. OR 717/\$.CCLS. OR 713/\$.CCLS. OR 709/\$.CCLS. OR 707/\$.CCLS. or 726/\$.ccls. and (delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1))) not ((713/164,165,166,167,188,189,190)! [CCLS] and malicious and (delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1) and (protect\$ or prevent\$) with (computer\$1 or system\$1 or driver\$1)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | ADJ | NO | ASSIGNEE | 06-19-2008 |
| (malicious kernel mode buffer) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | ADJ | NO | ASSIGNEE | 06-19-2008 |
| (delay\$ or stop\$ or interrupt\$ or stall\$) with | PGPB, | ADJ | NO | ASSIGNEE | 06-19-2008 |

| | | | | | |
|---|--|-----|----|----------|------------|
| ((operating system\$1) or kernel\$1 or critical or function\$1) | USPT, USOC, EPAB, JPAB, DWPI, TDBD | | | | |
| ((delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1 or critical or function\$1)) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1 or critical or function\$1) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1))) not (719/\$.CCLS. OR 718/\$.CCLS. OR 717/\$.CCLS. OR 713/\$.CCLS. OR 709/\$.CCLS. OR 707/\$.CCLS. or 726/\$.ccls. and (delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1)) not (713/164,165,166,167,188,189,190)! [CCLS] and malicious and (delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1) and (protect\$ or prevent\$) with (computer\$1 or system\$1 or driver\$1)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1 or critical or function\$1)) and (protect\$ or prevent\$) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1 or critical or function\$1) and (protect\$ or prevent\$)) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | ADJ | NO | ASSIGNEE | 06-19-2008 |
| ((delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1 or critical or function\$1) and (protect\$ or prevent\$) and ((module\$1) or (malicious code)) same driver\$1 | PGPB, USPT, USOC, EPAB, | ADJ | NO | ASSIGNEE | 06-19-2008 |

| | | | | | |
|---|------------------|--|--|--|--|
| <p>same (location\$1 or area\$1) same (kernel\$1)) not ((delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1 or critical or function\$1) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1)) not 719/\$.CCLS. OR 718/\$.CCLS. OR 717/\$.CCLS. OR 713/\$.CCLS. OR 709/\$.CCLS. OR 707/\$.CCLS. or 726/\$.ccls. and (delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1) and ((module\$1) or (malicious code)) same driver\$1 same (location\$1 or area\$1) same (kernel\$1 or (address space\$1)) not (713/164,165,166,167,188,189,190)![CCLS] and malicious and (delay\$ or stop\$ or interrupt\$ or stall\$) with ((operating system\$1) or kernel\$1) and (protect\$ or prevent\$) with (computer\$1 or system\$1 or driver\$1))</p> | JPAB, DWPI, TDBD | | | | |
|---|------------------|--|--|--|--|